

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An apparatus for a mobile self-contained vehicle wash including:

a trailer towable by a motor vehicle;

a water source contained within said trailer;

a pump mechanically connected to ~~supplied by~~ said water source wherein said pump is located within said trailer; and

a vehicle wash structure ~~supplied by said pump~~ whereby said vehicle wash structure in a disassembled form is ~~contained~~ enclosed within said trailer and whereby said wash structure is in an assembled form is useable ~~for use~~ as a vehicle wash outside of said trailer and supplied with water by said pump located within said trailer.

2. (Original) The apparatus of claim 1, wherein said trailer fully encloses an interior.

3. (Original) The apparatus of claim 1, further including a power generator located within said trailer, whereby said power generator is an independent power source.

4. (Original) The apparatus of claim 1, further including a heat sensor wherein said heat sensor shuts down power at a circuit breaker box within said trailer.

5. (Currently Amended) The apparatus of claim 1, further including a vacuum -
creating device whereby said vacuum-creating device supports a vacuuming operation
within said vehicle wash structure.

6. (Original) The apparatus of claim 1, further including a power wash generator
located in said trailer, whereby said power wash generator provides pressurized and high-
heated water to said vehicle wash structure.

7. (Original) The apparatus of claim 6, further including a hand-held sprayer
whereby said hand-held spray is supplied with water from said power wash generator.

8. (Original) The apparatus of claim 1, further including an air compressor,
wherein said air compressor provides air to the vehicle wash structure.

9. (Original) The apparatus of claim 1, further including a transition box wherein
said transition box provides a central connection point for compressed air, waste water
return, and air vacuum traversing between said vehicle wash structure and said trailer.

10. (Original) The apparatus of claim 1, further including a flex hose wherein said
flex hose provides umbilical support of necessary systems from said trailer to said vehicle
wash structure.

11. (Original) The apparatus of claim 1, further including a remotely operated electrical receptacle wherein said electrical receptacle can be switched at a distance to different power modes.

12. (Original) The apparatus of claim 1, further including a heat source which provides heat for said trailer and said vehicle wash structure.

13. (Original) The apparatus of claim 12, further including a propane tank which provides fuel for said heat source.

14. (Original) The apparatus of claim 1, further including a tributary tank wherein said tributary tank holds waste water produced from said vehicle wash structure

15. (Original) The apparatus of claim 14, further including a plurality of filters wherein said filters recycle waste water contained and drawn from said tributary tank.

16. (Original) The apparatus of claim 15, wherein said waste water is filtered to approximately three microns.

17. (Original) The apparatus of claim 1, further including an electronic regulator valve wherein said valve controls a water pressure of said water source.

18. (Original) The apparatus of claim 1, further including a containment cart whereby said containment cart is a storage area for said vehicle wash structure.

19. (Original) The apparatus of claim 18, wherein said containment cart provides additional storage for support equipment for said vehicle wash structure.

20. (Original) The apparatus of claim 19, wherein said containment cart further includes a pivoting movement structure.

21. (Original) The apparatus of claim 20, wherein said containment cart further includes a loading bracket machined for securing spray system piping.

22. (Original) The apparatus of claim 1, wherein said wash structure further includes corner pieces wherein said corner pieces provide attachment areas for a covering canvass.

23. (Original) The apparatus of claim 22, wherein said corner piece further provides support for wash piping of said vehicle wash structure.

24. (Currently Amended) The apparatus of claim 22, wherein said corner piece further includes attachment areas for attaching wash support equipment shelving.

25. (Original) The apparatus of claim 22, wherein said corner piece further includes a guide mechanism where said guide mechanism allows roller operation of end canvass closures of said vehicle wash structure.

46. (New) An apparatus for a mobile self-contained vehicle wash including:

- a trailer;
- a water source contained within said trailer;
- a pump mechanically connected to said water source wherein said pump is located within said trailer;
- a vehicle wash structure whereby said vehicle wash structure in a disassembled form is located within said trailer and whereby said vehicle wash structure in an assembled form is useable as a vehicle wash outside of said trailer and supplied with water by said pump located within said trailer; and
- a heat source which provides heat for said vehicle wash structure, said heat source located within said trailer.

47. (New) The apparatus of claim 46, further including a propane tank which provides fuel for said heat source.

48. (New) The apparatus of claim 1, wherein said motor vehicle is a car.